



CD 70/05 (0.37 kW) - Impeller diameter = 132 mm  
 CD 70/07 (0.55 kW) - Impeller diameter = 157 mm  
 CD 70/12 (0.90 kW) - Impeller diameter = 176 mm




Rotation speed  $\approx 2800 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A

CD 90/10 (0.75 kW) MEI > 0.50 - Impeller diameter = 157 mm




Rotation speed  $\approx 2800 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A

**CD 120/07 (0.75 kW) MEI > 0.50 - Impeller diameter = 132 mm**  
**CD 120/12 (0.90 kW) MEI > 0.40 - Impeller diameter = 157 mm**  
**CD 120/20 (1.50 kW) MEI > 0.40 - Impeller diameter = 176 mm**



Rotation speed  $\approx 2800 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A

CD 200/12 (0.90 kW) MEI > 0.50 - Impeller diameter = 132 mm  
 CD 200/20 (1.50 kW) MEI > 0.60 - Impeller diameter = 157 mm  
 CD 200/25 (1.80 kW) MEI > 0.40 - Impeller diameter = 176 mm



Rotation speed  $\approx 2800 \text{ min}^{-1}$   
 Test standard: ISO 9906 – Annex A