



MATRIX 3-5/0.75 ( 0.75 kW ) - Impeller diameter = 98.5 mm  
 MATRIX 3-4/0.65 ( 0.65 kW ) - Impeller diameter = 98.5 mm  
 MATRIX 3-3/0.65 ( 0.65 kW ) - Impeller diameter = 98.5 mm  
 MATRIX 3-2/0.45 ( 0.45 kW ) - Impeller diameter = 98.5 mm




Rotation speed ≈ 2850 min<sup>-1</sup>  
 Test standard: ISO 9906 – Annex A

**MATRIX 3-9/1.5 ( 1.5 kW ) - Impeller diameter = 98.5 mm**  
**MATRIX 3-8/1.3 ( 1.3 kW ) - Impeller diameter = 98.5 mm**  
**MATRIX 3-7/1.3 ( 1.3 kW ) - Impeller diameter = 98.5 mm**  
**MATRIX 3-6/0.9 ( 0.90 kW ) - Impeller diameter = 98.5 mm**




Rotation speed ≈ 2850 min<sup>-1</sup>  
 Test standard: ISO 9906 – Annex A

**MATRIX 5-5/1.3 ( 1.3 kW ) - Impeller diameter = 97 mm**  
**MATRIX 5-4/0.9 ( 0.90 kW ) - Impeller diameter = 97 mm**  
**MATRIX 5-3/0.65 ( 0.65 kW ) - Impeller diameter = 97 mm**  
**MATRIX 5-2/0.45 ( 0.45 kW ) - Impeller diameter = 97 mm**




Test standard: ISO 9906 – Annex A

**MATRIX 5-9/2.2 ( 2.2 kW ) - Impeller diameter = 97 mm**  
**MATRIX 5-8/2.2 ( 2.2 kW ) - Impeller diameter = 97 mm**  
**MATRIX 5-7/1.5 ( 1.5 kW ) - Impeller diameter = 97 mm**  
**MATRIX 5-6/1.3 ( 1.3 kW ) - Impeller diameter = 97 mm**




Rotation speed ≈ 2850 min<sup>-1</sup>  
 Test standard: ISO 9906 – Annex A

MATRIX 10-4/1.5 ( 1.5 kW ) - Impeller diameter = 100.5 mm  
 MATRIX 10-3/1.3 ( 1.3 kW ) - Impeller diameter = 100.5 mm  
 MATRIX 10-2/0.75 ( 0.75 kW ) - Impeller diameter = 100.5 mm




**MATRIX 10-6/2.2 ( 2.2 kW ) - Impeller diameter = 100.5 mm**  
**MATRIX 10-5/2.2 ( 2.2 kW ) - Impeller diameter = 100.5 mm**




Rotation speed ≈ 2850 min<sup>-1</sup>  
 Test standard: ISO 9906 – Annex A

**MATRIX 18-4/3.0 ( 3.0 kW ) - Impeller diameter = 106.7 mm**  
**MATRIX 18-3/2.2 ( 2.2 kW ) - Impeller diameter = 106.7 mm**  
**MATRIX 18-2/1.5 ( 1.5 kW ) - Impeller diameter = 106.7 mm**



**MATRIX 18-6/4.0 ( 4.0 kW ) - Impeller diameter = 106.7 mm**  
**MATRIX 18-5/4.0 ( 4.0 kW ) - Impeller diameter = 106.7 mm**



Rotation speed ≈ 2850 min<sup>-1</sup>  
 Test standard: ISO 9906 – Annex A