

50 Hz**DATOS TÉCNICOS / RENSEIGNEMENT TECHNIQUES / TECHNICAL DATA****SIMPLE ETAPA / SIMPLE ETAGE / SINGLE STAGE****DOBLE ETAPA / DOUBLE ETAGE / DOUBLE STAGE**

| DESCRIPCIÓN DESCRIPTION DESCRIPTION | REFERENCIA REFERENCE REFERENCE | CURVA COURBE CURVE | KW | VOLTAJE VOLTAGE VOLTAGE V. | CONSUMO CONSUMPTION CONSUMPTION Amp. | CAUDAL DEBIT FLOW m ³ /h. | VACÍO VIDE VACUUM mbar. | PRESIÓN PRESSION PRESSURE mbar. | NIVEL SONORO NIVEAU SONORE SOUND LEVEL Db | PESO POIDS WEIGHT Kg. |
|---|--------------------------------------|--------------------------|------|-------------------------------------|---|---|----------------------------------|--|--|--------------------------------|
| SKS 80 | 0150709 | 120 | 0,4 | 220-240/380-415 | 2,25/1,29 | 84 | 130 | 130 | 58 | 11,5 |
| SKS 140 | 0469079 | 130 | 0,75 | 220-240/380-415 | 3,7/2,14 | 144 | 150 | 190 | 63 | 14,5 |
| SKH 250 | 505200009 | 140 | 1,3 | 220-240/380-415 | 5,7/3,3 | 216 | 180 | 180 | 70 | 22 |
| SKH 250 | 505200019 | 141 | 1,75 | 220-240/380-415 | 6,7/3,9 | 216 | 210 | 250 | 70 | 23 |
| SKH 300 | 605200019 | 150 | 2,2 | 220-240/380-415 | 9,7/5,6 | 312 | 220 | 220 | 72 | 32 |
| SKH 300 | 606200019 | 151 | 3,4 | 220-240/380-415 | 12,5/7,2 | 312 | 255 | 280 | 72 | 35 |
| SKS 475 | 0919519 | 160 | 5,5 | 220-240/380-415 | 21/12 | 552 | 250 | 280 | 74 | 78 |
| SKS 550 | 0800119 | 170 | 7,5 | 380-415/660-720 | 27/15,6 | 552 | 310 | 360 | 74 | 82 |
| SKS 1000 | 08300999 | 180 | 13 | 380-415/660-720 | 46,8/27 | 1134 | 305 | 295 | 76 | 112 |
| SKS 80 2V | 0191309 | 210 | 0,75 | 220-240/380-415 | 3,45/2 | 90 | 200 | 240 | 60 | 17 |
| SKS 156 2V | 04695299 | 220 | 1,75 | 220-240/380-415 | 6,7/3,9 | 156 | 275 | 320 | 66 | 25 |
| SKS 156 2V | 0469529 | 221 | 2,2 | 220-240/380-415 | 7,8/4,5 | 156 | 320 | 390 | 66 | 28 |
| SKS 222 2V | 0481619 | 230 | 3,4 | 220-240/380-415 | 12,5/7,2 | 222 | 345 | 410 | 74 | 43 |
| SKS 400 2V | 0665009 | 240 | 4 | 220-240/380-415 | 14,3/8,2 | 312 | 380 | 380 | 75 | 55 |
| SKS 475 2V | 0919529 | 241 | 5,5 | 220-240/380-415 | 21/12 | 312 | 470 | 530 | 75 | 72 |
| SKH 570 2V | 08001199 | 251 | 11 | 380-415/660-720 | 46,8/27 | 576 | 450 | 600 | 76 | 142 |
| DESCRIPCIÓN DESCRIPTION DESCRIPTION | REFERENCIA REFERENCE REFERENCE | CURVA COURBE CURVE | KW | VOLTAJE VOLTAGE VOLTAGE V. | CONSUMO CONSUMPTION CONSUMPTION Amp. | CAUDAL DEBIT FLOW m ³ /h. | VACÍO VIDE VACUUM mbar. | PRESIÓN PRESSION PRESSURE mbar. | NIVEL SONORO NIVEAU SONORE SOUND LEVEL Db | PESO POIDS WEIGHT Kg. |
| SKS 50 | 014011 | 110 | 0,2 | 230 | 1,7 | 50 | 80 | 100 | 57 | 7 |
| SKS 80 | 0150259 | 120 | 0,4 | 110-120/220-240 | 5,5/2,6 | 84 | 130 | 130 | 58 | 11,5 |
| SKH 144 | 405109 | 130 | 0,75 | 110-120/220-240 | 11/5,5 | 144 | 150 | 190 | 63 | 16,5 |
| SKH 250 | 505100009 | 140 | 1,1 | 220-240 | 8,5 | 216 | 160 | 180 | 70 | 26 |
| SKH 250 | 505100019 | 141 | 1,5 | 220-240 | 10 | 216 | 210 | 200 | 70 | 26,5 |
| SKH 300 | 60521111 | 149 | 2,2 | 230 | 14,9 | 312 | 200 | 200 | 72 | 35 |
| SKS 80 2V | 0191209 | 210 | 0,75 | 110-120/220-240 | 9,2/4,5 | 90 | 200 | 240 | 60 | 17,5 |

50 Hz

CURVAS DE RENDIMIENTO
COURBES DE RENDIMENT / PERFORMANCE CURVE






TABLA DE DIMENSIONES / TABLEAU DE DIMENSIONS / DIMENSIONS

| DESCRIPCION DESCRIPTION DESCRIPTION | FIGURA FIGURE FIGURE | A | A' | A'' | B | C | D | E | F | F' | G | H | H' | I | J |
|---|----------------------------|-----|-------|-----|-------|------|-----|-----|-------|-----|-------|-----|-----|----|-------|
| SKS 50 | 1 | 198 | / | / | 219 | 80 | 79 | / | 158,5 | 220 | / | 120 | / | 26 | / |
| SKS 80 | | 245 | / | / | 249 | 92 | 205 | 227 | 226 | / | 119 | 130 | / | 29 | 114,5 |
| SKS/SKH 140 | | 284 | / | / | 300 | 115 | 225 | 253 | 238 | / | 107 | 152 | / | / | 124 |
| SKH 250 | | 332 | / | / | 338 | 122 | 260 | 296 | 300 | / | 152 | 176 | / | 25 | 134 |
| SKH 300 | | 383 | / | / | 415 | 125 | 290 | 330 | 338 | / | 156,5 | 196 | / | 25 | 160 |
| SKS 475 | | 466 | / | / | 556 | 147 | 365 | 422 | 461,5 | / | 163 | 270 | / | 31 | 180 |
| SKS 550 | | 466 | / | / | 556 | 147 | 365 | 422 | 461,5 | / | 163 | 270 | / | 31 | 180 |
| SKS 1000 | 2 | 560 | / | / | 630 | 210 | 360 | 414 | 663 | 710 | 163 | 305 | / | 35 | 211 |
| SKS 80 2V | 3 | 284 | 303 | / | 272 | 46 | 205 | 227 | 293 | / | 117 | 130 | 110 | 29 | 114,5 |
| SKS 156 2V | | 321 | 315,5 | / | 312,5 | 57,5 | 225 | 253 | 314 | / | 152 | 152 | 152 | / | 134 |
| SKS 222 2V | | 364 | 417,5 | / | 371 | 61 | 260 | 296 | 385,5 | / | 156,5 | 176 | 141 | 25 | 160 |
| SKS 400 2V | | 424 | 427 | / | 415 | 62,5 | 290 | 330 | 434 | / | 156,5 | 196 | 158 | 25 | 160 |
| SKS 475 2V | | 424 | 427 | / | 415 | 62,5 | 290 | 330 | 434 | / | 163 | 196 | 158 | 25 | 180 |
| SKH 570 2V11 | 4 | 486 | 372 | 307 | 556 | 144 | 365 | 422 | 700 | / | 313 | 270 | 190 | 31 | 211 |



DIMENSIONES SIMPLE ETAPA

DIMENSIONS SIMPLE ETAGE / DIMENSIONS FOR SINGLE STAGE

1



2



Corefluid


TABLA DE DIMENSIONES / TABLEAU DE DIMENSIONS / DIMENSIONS

| DESCRIPCION DESCRIPTION DESCRIPTION | FIGURA FIGURE FIGURE | K | L | M | N | O | P | Q | R | S | T | U | V | W | X |
|---|----------------------------|-----|-----|-------|-------|------|--------|------|-----|-----|------|-------|-----|-------|-------|
| SKS 50 | 1 | 29 | / | / | 22 | 28 | 1 1/4" | 54,5 | 4,2 | / | / | / | / | / | PG11 |
| SKS 80 | | 83 | 108 | 70,5 | 72,5 | 40 | 1 1/4" | 64 | Ø10 | 2,3 | / | / | 140 | 129 | 1/2" |
| SKS/SKH 140 | | 95 | 130 | 68,5 | 74,5 | 42,5 | 1 1/2" | 68 | Ø12 | 3 | / | / | 174 | 156 | 1/2" |
| SKH 250 | | 115 | 155 | 102 | 83 | 44 | 2" | 83 | Ø14 | 4 | / | / | 200 | 158 | 1/2" |
| SKH 300 | | 140 | 180 | 92 | 106 | 51 | 2" | 83 | Ø15 | 4 | 42 | / | 240 | 171,5 | 3/4" |
| SKS 475 | | 280 | 316 | 155 | 26,5 | 84 | 2 1/2" | Ø128 | 16 | 28 | 42 | / | 408 | 263 | 3/4" |
| SKS 550 | | 280 | 316 | 155 | 26,5 | 84 | 2 1/2" | Ø128 | 16 | 28 | 42 | / | 408 | 263 | 3/4" |
| SKS 1000 | | 2 | 600 | 631,5 | / | 96 | 95 | 4" | 150 | 16 | 25,5 | 55 | / | 490 | 402,5 |
| SKS 80 2V | 3 | 83 | 108 | 73 | 136,5 | 40 | 1 1/4" | 64 | Ø10 | 2,3 | / | 89 | 140 | 192 | 1/2" |
| SKS 156 2V | | 95 | 130 | 68,5 | 150,5 | 42,5 | 1 1/2" | 68 | Ø12 | 3 | / | 104,5 | 174 | 238 | 1/2" |
| SKS 222 2V | | 115 | 155 | 102 | 168,5 | 44 | 2" | 83 | Ø14 | 4 | 42 | 110,5 | 200 | 258 | 3/4" |
| SKS 400 2V | | 140 | 180 | 92 | 202 | 51 | 2" | 83 | Ø15 | 4 | 42 | 126,5 | 240 | 267,5 | 3/4" |
| SKS 475 2V | | 140 | 180 | 92 | 202 | 51 | 2" | 83 | Ø15 | 4 | 42 | 126,5 | 240 | 352,5 | 3/4" |
| SKH 570 2V11 | 4 | 280 | 316 | 265 | 155 | 109 | 2 1/2" | Ø128 | 16 | 28 | 55 | 59,5 | 408 | 379 | 1" |


DIMENSIONES DOBLE ETAPA

DIMENSIONS DOUBLE ETAGE / DIMENSIONS FOR DOUBLE STAGE


3



4



DISTINTOS TAMAÑOS DE LOS RODETES
DIFERENT MESURES D'AUBES
DIFERENT IMPELLORS SIZES



Corefluid